

SUPPLEMENTARY
FILES

IF YOU MAKE A MISTAKE, FIX IT:

an experimental study on health
news in G1 and WhatsApp



WLADIMIR GRAMACHO

Universidade de Brasília, Brasília – Distrito Federal – Brazil

ORCID: 0000-0002-7159-3339

REBECA GARCIA

Universidade de Brasília, Brasília – Distrito Federal – Brazil

ORCID: 0000-0003-3027-7070

EMILLY BEHNKE

Universidade de Brasília, Brasília – Distrito Federal – Brazil

ORCID: 0000-0002-3993-2353

VICTOR GOMES

Universidade de Brasília, Brasília – Distrito Federal – Brazil

ORCID: 0000-0003-4633-0876

1 Experimental conditions

Whatsapp – Control text

Learn more about who should and who should not be vaccinated for yellow fever.

Vaccination against the yellow fever virus is recommended for those who have not yet been vaccinated and are exposed to forested areas. Children at nine months and adults up to 59 years old should be immunized. A single dose of the vaccine provides lifelong protection.

For some people, however, the vaccine is contraindicated. Adults over 60 years of age, pregnant women, and women who are still breastfeeding should only be vaccinated if they reside in or are moving to areas with yellow fever cases, provided they do not have any medical contraindication to receive the vaccine.

There are other people, however, who should not be vaccinated at all, such as people who have a severe allergic reaction to eggs. See the Ministry of Health website for a complete list of people who cannot be vaccinated against yellow fever.

G1 – Control text
Health & Science

Learn more about who should and who should not be vaccinated for yellow fever.

Vaccination against the yellow fever virus is recommended for those who have not yet been vaccinated and are exposed to forested areas. Children at nine months and adults up to 59 years old should be immunized. A single dose of the vaccine provides lifelong protection.

For some people, however, the vaccine is contraindicated. Adults over 60 years of age, pregnant women, and women who are still breastfeeding should only be vaccinated if they reside in or are moving to areas with yellow fever cases, provided they do not have any medical contraindication to receive the vaccine.

There are other people, however, who should not be vaccinated at all, such as people who have a severe allergic reaction to eggs. See the Ministry of Health website for a complete list of people who cannot be vaccinated against yellow fever.

Whatsapp – Updated text
Updated 2 hours ago

Learn more about who should and who should not be vaccinated for yellow fever.

Vaccination against the yellow fever virus is recommended for those who have not yet been vaccinated and are exposed to forested areas. Children at nine months and adults up to 59 years old should be immunized. A single dose of the vaccine provides lifelong protection.

For some people, however, the vaccine is contraindicated. Adults over 60 years of age, pregnant women, and women who are still breastfeeding should only be vaccinated if they reside in or are

moving to areas with yellow fever cases, provided they do not have any medical contraindication to receive the vaccine.

There are other people, however, who should not be vaccinated at all, such as people who have a severe allergic reaction to eggs. See the Ministry of Health website for a complete list of people who cannot be vaccinated against yellow fever.

G1 – Updated text

Updated 2 hours ago

Learn more about who should and who should not be vaccinated for yellow fever.

Vaccination against the yellow fever virus is recommended for those who have not yet been vaccinated and are exposed to forested areas. Children at nine months and adults up to 59 years old should be immunized. A single dose of the vaccine provides lifelong protection.

For some people, however, the vaccine is contraindicated. Adults over 60 years of age, pregnant women, and women who are still breastfeeding should only be vaccinated if they reside in or are moving to areas with yellow fever cases, provided they do not have any medical contraindication to receive the vaccine.

There are other people, however, who should not be vaccinated at all, such as people who have a severe allergic reaction to eggs. See the Ministry of Health website for a complete list of people who cannot be vaccinated against yellow fever.

Whatsapp – Corrected text

Corrected 2 hours ago

Learn more about who should and who should not be vaccinated for yellow fever.

Vaccination against the yellow fever virus is recommended for those who have not yet been vaccinated and are exposed to forested areas. Children at nine months and adults up to 59 years old should be immunized. A single dose of the vaccine provides lifelong protection.

For some people, however, the vaccine is contraindicated. Adults over 60 years of age, pregnant women, and women who are still breastfeeding should only be vaccinated if they reside in or are moving to areas with yellow fever cases, provided they do not have any medical contraindication to receive the vaccine.

There are other people, however, who should not be vaccinated at all, such as people who have a severe allergic reaction to eggs. See the Ministry of Health website for a complete list of people who cannot be vaccinated against yellow fever.

G1 – Corrected text

Corrected 2 hours ago

Learn more about who should and who should not be vaccinated for yellow fever.

Vaccination against the yellow fever virus is recommended for those who have not yet been vaccinated and are exposed to forested areas. Children at nine months and adults up to 59 years old should be immunized. A single dose of the vaccine provides lifelong protection.

For some people, however, the vaccine is contraindicated. Adults over 60 years of age, pregnant women, and women who are still breastfeeding should only be vaccinated if they reside in or are moving to areas with yellow fever cases, provided they do not have any medical contraindication to receive the vaccine.

There are other people, however, who should not be vaccinated at all, such as people who have a severe allergic reaction to eggs. See the Ministry of Health website for a complete list of people who cannot be vaccinated against yellow fever.

Whatsapp – Minor errors

Learn more about who should and who should not vaccinate themselves for yellow fever.

Vaccination against the yellow fever virus is recommended for those who have not yet been vaccinated and *expose themselves* to forested areas. Children at nine months and adults up to 59 years old should be immunized. A single dose of the vaccine provides a lifelong protection.

For some *peoples*, however, the vaccine is contraindicated. Adults over 60 years of age, pregnant women, and women who are still breastfeeding should only be vaccinated if they reside in or are moving to areas *of* yellow fever cases, provided they do not have any medical contraindication to receive the vaccine.

There are *others* people, however, who should not be vaccinated at all, such as people who *has* a severe allergic reaction to eggs. See *website of* Ministry of Health for a complete list of people who cannot be vaccinated against yellow fever.

G1 – minor errors

Learn more about who should and who should not vaccinate themselves for yellow fever.

Vaccination against the yellow fever virus is recommended for those who have not yet been vaccinated and *expose themselves* to forested areas. Children at nine months and adults up to 59 years old should be immunized. A single dose of the vaccine provides a lifelong protection.

For some *peoples*, however, the vaccine is contraindicated. Adults over 60 years of age, pregnant women, and women who are still breastfeeding should only be vaccinated if they reside in or are moving to areas *of* yellow fever cases, provided they do not have any medical contraindication to receive the vaccine.

There are *others* people, however, who should not be vaccinated at all, such as people who *has* a severe allergic reaction to eggs. See *website of* Ministry of Health for a complete list of people who cannot be vaccinated against yellow fever.

Whatsapp – major errors

Learn more about who should and who should not vaccinate themselves for yellow fever.

Vaccination against the yellow fever virus is recommended for those who have not yet been vaccinated and *are exposing themselves* to forested areas. Children at nine months and adults up to 59 years old should be immunized. A single dose of the vaccine *is providing a* lifelong protection.

For some *peoples*, however, the vaccine is contraindicated. Adults over 60 years of age, pregnant women, and women who are still breastfeeding should only be vaccinated if they reside in or are moving to *case areas of* yellow fever, provided they do not have any medical contraindication to receive the vaccine.

There are *others* people, however, who should not be vaccinated at all, such as people *whom has* a severe allergic reaction to eggs. See *website of* Ministry of Health for a complete list of people who cannot be vaccinated against yellow fever.

G1 – major errors

Learn more about who should and who should not vaccinate themselves for yellow fever.

Vaccination against the yellow fever virus is recommended for

those who have not yet been vaccinated and *are exposing themselves* to forested areas. Children at nine months and adults up to 59 years old should be immunized. A single dose of the vaccine *is providing a* lifelong protection.

For some *peoples*, however, the vaccine is contraindicated. Adults over 60 years of age, pregnant women, and women who are still breastfeeding should only be vaccinated if they reside in or are moving to *case areas of* yellow fever, provided they do not have any medical contraindication to receive the vaccine.

There are *others* people, however, who should not be vaccinated at all, such as people *whom has* a severe allergic reaction to eggs. See *website of* Ministry of Health for a complete list of people who cannot be vaccinated against yellow fever.